



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/566,307

01/27/2006

Dean Kamen

1062/E19

4217

73544

7590

04/08/2011

Michelle Saquet Temple
DEKA Research & Development Corp.
340 Commercial Street
Manchester, NH 03101-1129

EXAMINER

LAUGHLIN, NATHAN L

ART UNIT

PAPER NUMBER

2122

MAIL DATE

DELIVERY MODE

04/08/2011

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/566,307	Applicant(s) KAMEN ET AL.	
	Examiner Nate Laughlin	Art Unit 2122	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 August 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-4,6-10 and 14-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4,6-10 and 14-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 27 January 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Final Action

Claims 1-4, 6-10, 14-23 are pending.

Claims 1-4, 6-10, 14-23 are rejected below.

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8-26-10 has been entered.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4, 6-10, 14-17, 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (U.S. Pat. 5,973,481) in view of Underwood (U.S. PG Pub. 2003/0220717).

Art Unit: 2122

4.

As to claim 1, Thompson teaches a system comprising: a generation device for converting an available resource to a desired utility (abstract), the generation device characterized by a plurality of operating parameters (col. 8 lines 13-23); b. an input sensor for measuring entering the generation device (col. 8 line 65- col. 9 lines 10); c. an output sensor for measuring the amount of output from the generation device (col. 8 line 65- col. 9 lines 10); d. a controller for concatenating the measured source entering and the amount output on the basis of the input and output sensors (col. 8 line 65- col. 9 lines 10); and e. a remote controller for modifying operation of the generation device: based on the concatenated measured entering the generation device and the amount of leaving the generation device (fig. 20, col. 17 lines 43-54).

As to claim 2, Thompson teaches a sensor for measuring at least one parameter of the said plurality of operating parameters of the generation device (fig 20).

As to claim 3. Thompson teaches one sensor is a heat transfer monitor (col. 3 lines 7-25).

As to claim 6, Thompson teaches wherein the input sensor is a flowrate monitor (col. 9 lines 12-17).

As to claim 14, Thompson teaches a monitoring system comprising a telemetry module for communicating measured input and output parameters to a remote site

Art Unit: 2122

(fig.1, 2 elements 48, 50).

As to claim 15, Thompson teaches the telemetry module is a cellular communications system (col. 7 lines 4-10).

As to claim 16, Thompson teaches a telemetry module is a wireless system (col. 7 lines 4-10).

As to claim 17, Thompson teaches a remote actuator for varying operating parameters of the generator based on remotely received instructions (col. 17 lines 43-54).

As to claim 21, Thompson teaches a system comprising: providing a generation device (abstract); coupling an input sensor for measuring an input entering to the generation device (col. 8 line 65- col. 9 lines 10); coupling an output sensor for measuring output leaving from the generation device (col. 8 line 65- col. 9 lines 10); coupling a local controller to the input and output sensor for concatenating the measured input entering and consumption of output leaving on the basis of the input and output sensors (col. 8 line 65- col. 9 lines 10), and providing a remote controller for modifying operation of the generation device based on the concatenated measured input and the amount of output (fig. 20, col. 17 lines 43-54).

As to claim 22, Thompson teaches providing communication between a telemetry module and said controller (fig. 1-2, elements 48, 50); and providing communication between said telemetry module and a monitoring station (fig. 1-2, elements 48, 50).

As to claim 23, Thompson teaches a distributed network of utilities comprising: generators for converting a resource into a useful utility (abstract); input sensors for measuring inputs entering the generation device(col. 8 line 65- col. 9 lines 10); output sensor for measuring the amount of output from the at least one generation device, wherein each generation device has a local controller that concatenates the measured input entering and the amount of output from the at least one generation device (col. 8 line 65- col. 9 lines 10); a telemetry transmitter for transmitting input and output parameters of a specified generator (fig.3 elements 50, 39); and a remote processor for receiving input entering and the amount of output parameters from the at least one generation device (col. 8 lines 40-52, col. 17 lines 43-54).

Thompson differs from the claimed invention as recited in claims 1, 4, 7-10, 21, 23 in that the combined discloser or teaching fails to disclose or teach teaches the following:

As to claims 1, 2, 8, 17, 21, 23, wherein the generation device is a water purifier.

As to claim 4, wherein the at least one sensor is a flow impedance monitor.

Art Unit: 2122

As to claim 7, wherein the output sensor includes a water quality sensor including at least one of turbidity, conductivity, and temperature sensor.

As to claim 8, a shut off switch that automatically turns off said generation device when said water quality sensor rises above a pre-programmed water quality value.

As to claim 9, an alarm that alerts a user when said water quality value rises above a pre-programmed water quality value.

As to claim 10, a remotely operable shut off switch.

However, Underwood teaches the following:

As to claims 1, 2, 8, 17, 21, 23, Underwood teaches wherein the generation device is a water purifier and monitoring a flow for the water (abstract, [0024, 0035]). Examiner notes that if the generation device is a water purifier that the inputs and outputs would be water.

As to claim 4, Underwood teaches wherein the at least one sensor is a flow impedance monitor [0035]. Underwood teaches the difference in pressure (flow impedance) through components in a water treatment facility.

Art Unit: 2122

As to claim 7, Underwood teaches wherein the output sensor includes a water quality sensor including at least one of turbidity, conductivity, and temperature sensor [0035].

As to claim 8, Underwood teaches a shut off switch that automatically turns off said generation device when said water quality sensor rises above a pre-programmed water quality value [0036-0028]. Underwood teaches if the water quality is not high enough that a backwash must be done. This would stop water treatment.

As to claim 9, Underwood teaches an alarm that alerts a user when said water quality value rises above a pre-programmed water quality value [0050]. Underwood teaches that a user can remotely monitor the data using a SCADA control panel and issue a backwash if needed.

As to claim 10, Underwood teaches a remotely operable shut off switch (col. 19 lines 58-65).

Thompson and Underwood are analogous art because both are directed to the same field of endeavor of generating a utility product.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was created to include the teachings of Underwood into the system

Art Unit: 2122

and methods as disclosed by Thompson. The motivation to combine is using a remote SCADA system a user can control the quality of a utility, such as water, by taking the appropriate action to successfully perform processes based on prompts from the control system [0049-0050].

5. Claims 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (U.S. Pat. 5,973,481) in view of Underwood (U.S. PG Pub. 2003/0220717) and in further view of Tucker (U.S. Pat. 6,568,416).

Thompson and Underwood teach most of the claimed invention, but differ from the invention as recited in claims 18-20 in that the combined disclosers or teachings fail to disclose or teach teaches the following:

As to claim 18 a self-locating device having an output indicative of the location of the monitoring system.

As to claim 19, the self-locating device is a global positioning system.

As to claim 20, monitored characteristics of input and output depend upon the location of the monitoring system.

However, Tucker teaches the following:

Art Unit: 2122

As to claim 18, Tucker teaches a self-locating device having an output indicative of the location of the monitoring system (col. 12 lines 47-66).

As to claim 19, Tucker teaches the self-locating device is a global positioning system (col. 12 lines 47-66).

As to claim 20, Tucker teaches monitored characteristics of input and output depend upon the location of the monitoring system (col. 12 lines 47-66).

Thompson as modified by Underwood and Tucker are analogous art because both are directed to the same field of endeavor of supplying a utility product.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have included a GPS component as done in Tucker into the monitoring system of Thompson further modified by Underwood. The motivation to combine is using GPS systems can increase precision and reduce errors (col. 1 line 63-col. 2 line 10).

Response to Arguments

6. Applicant's arguments filed 8-26-10 have been fully considered but they are not persuasive.

Applicant argues that one of ordinary skill in the art would not combine Thompson and Underwood. Examiner disagrees; as shown with the motivation in the

Art Unit: 2122

previous action Underwood teaches using a control subsystem that allows a user to control various systems all from one location. This is a very useful feature. The user does not have to go to each and every system to control that system and/or check monitored data. One of ordinary skill in the art would look to the art of generating utilities from various teachings. Although Thompson is directed to the utility of electricity and Underwood is directed to the utility of water purification, they are still both directed toward utility generation.

Applicant also argues that Underwood fails to show “an input sensor for measuring source water entering...” Applicant seems to be stating that the sensed opening (or closing) of the valve is not related to the source water. Examiner disagrees, Underwood teaches that a valve can be open or closed, this leads to source water entering the water purification unit. However, Thompson plainly states that efficiency for a utility can be determined by the input (total fuel flow, subtracting the fuel that is unused by the generator) divided by the generated utility (power). The input to Underwood’s system is water source and the output is treated water (see figs. 3-4). Therefore, to calculate efficiency as done in primary reference, the inputs and outputs would be known. Using a flow meter is very well known in the art (see Underwood, element 220). Thompson also teaches using input flow meters for calculating efficiency (col. 9 lines 12-28).

Therefore, it would have been obvious to one of ordinary skill in the art in view of the combination to include flow meters on both the input and output of Underwood's water purifier to obtain the efficiency of the entire system itself. As shown by Thompson

Art Unit: 2122

this efficiency can be recorded and logged to determine if the system is malfunctioning and needs to be repaired to run optimally (col. 9 lines 4-11).

Conclusion

This Action Is Final, First Action Following Request for Continued Examination under 37 CFR 1.114. All claims are drawn to the same invention claimed in the application prior to the entry of the submission under 37 CFR 1.114 and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the application prior to entry under 37 CFR 1.114. Accordingly, THIS ACTION IS MADE FINAL even though it is a first action after the filing of a request for continued examination and the submission under 37 CFR 1.114. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2122

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nate Laughlin whose telephone number is (571)270-1042. The examiner can normally be reached on M - F, 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kakali Chaki can be reached on 571-272-3719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nate Laughlin/
Examiner, Art Unit 2123

/Paul L Rodriguez/

Supervisory Patent Examiner, Art Unit 2123